
Aura Novana

Trzypoziomowa lampa wisząca

RYSUNEK TECHNICZNY



NAJWAŻNIEJSZE WYMIARY

Poziomy	Ø 83 / Ø 117 / Ø 155 cm
Zawieszenie	9 linek stalowych, z regulacją długości
Długości od podsufitki	150 / 180 / 210 cm (od góry)

Standardowe długości linek; odstęp między poziomami 30 cm. Zawieszenie regulowane.

loftlight.pl/kontakt/
+48 797 093 003
sklep@loftlight.pl
info@loftlight.pl

Bottonova sp. z o.o.
Robotnicza 64, 53-608 Wrocław, Polska
NIP: 8971606867

Aura Novana

Trzypoziomowa lampa wisząca

PARAMETR	AURA NOVANA
Kod EAN	5902730881155
Producent	LOFTLIGHT | Bottonova sp. z o.o.
Typ	Lampa wisząca
Materiały	Aluminium, stalowa siatka, stalowe linki
Wykończenie	Kolor konstrukcji wybierany przy zamówieniu
Średnica poziomu górnego	83 cm
Średnica poziomu środkowego	117 cm
Średnica poziomu dolnego	155 cm
Wysokość elementu świetlnego	55 cm
Podsufitka	Ø 50 × 3 cm
Waga	15 kg
Punkty zawieszenia	9
Linki zawieszenia	Stalowe, z regulacją długości
Standardowe długości linek	Górny: 150 cm; środkowy: 180 cm; dolny: 210 cm (od podsufitki)
Odstęp między poziomami	30 cm (standardowo, z możliwością regulacji)
Wysokość całkowita	Regulowana podczas montażu
Źródło światła	LED zintegrowany, światło w górę i w dół
Moduły LED	36 × 8 W
Moc LED	288 W
Strumień świetlny	ok. 20 000 lm
Temperatura barwowa	3000 K
Współczynnik oddawania barw (CRI)	≥ 95
Ściemnianie	Tak, przy kompatybilnym sterowaniu
Zasilanie	220-240 V
Zasilacz	W zestawie
Stopień ochrony	IP20

Rysunek przedstawia przykładowe ułożenie regulowanych poziomów.


loftlight.pl/kontakt/
+48 797 093 003
sklep@loftlight.pl
info@loftlight.pl

Bottonova sp. z o.o.
Robotnicza 64, 53-608 Wrocław, Polska
NIP: 8971606867

Aura Novana

Three-tier pendant light

TECHNICAL DRAWING



KEY DIMENSIONS

Tiers	Ø 83 / Ø 117 / Ø 155 cm
Suspension	9 adjustable steel suspension cables
Lengths from canopy	150 / 180 / 210 cm (top to bottom)

Standard cable lengths; 30 cm between tiers. Adjustable suspension.

loftlight.eu/contact-us/
+48 501 431 561
export@loftlight.pl

Bottonova sp. z o.o.
Robotnicza 64, 53-608 Wrocław, Poland
Tax ID: 8971606867

Aura Novana

Three-tier pendant light

PARAMETER	AURA NOVANA
EAN code	5902730881155
Manufacturer	LOFTLIGHT | Bottonova sp. z o.o.
Type	Pendant light
Materials	Aluminium, steel mesh, steel suspension cables
Finish	Frame colour selected when ordering
Upper tier diameter	83 cm
Middle tier diameter	117 cm
Lower tier diameter	155 cm
Light element height	55 cm
Ceiling canopy	Ø 50 × 3 cm
Weight	15 kg
Suspension points	9
Suspension cables	Steel, with adjustable length
Standard cable lengths	Upper: 150 cm; middle: 180 cm; lower: 210 cm (from canopy)
Spacing between tiers	30 cm (standard, adjustable)
Overall height	Adjustable during installation
Light source	Integrated LED, upward and downward light
LED modules	36 × 8 W
LED power	288 W
Luminous flux	approx. 20 000 lm
Colour temperature	3000 K
Colour rendering index (CRI)	≥ 95
Dimming	Yes, with compatible control
Power supply	220-240 V
Driver	Included
IP rating	IP20

The drawing shows one arrangement of the adjustable tiers.

loftlight.eu/contact-us/
+48 501 431 561
export@loftlight.pl

Bottonova sp. z o.o.
Robotnicza 64, 53-608 Wrocław, Poland
Tax ID: 8971606867